

SPIS ROZMIARÓW FELG I MOCOWAŃ STOSOWANYCH W HONDA, HYUNDAI, KIA, LADA, LANCIA, LANDROVER

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
HONDA						
Accord	10.98-01.03	5,5Jx14	4	114,3	64	ET60
Accord	10.98-01.03	5,5Jx14	4	114,3	64	ET60
Accord	01.99-09.98	5,5JJx15	4	114,3	64	ET50
Accord	01.99-09.98	5,5JJx15	4	114,3	64	ET50
Accord	10.98-01.03	6Jx15	4	114,3	64	ET60
Accord	10.98-01.03	6Jx15	4	114,3	64	ET60
Accord	01.03-05.08	6,5JJx16	5	114,3	64	ET55
Accord	01.03-05.08	6,5JJx16	5	114,3	64	ET55
Accord Aerodeck	01.92-09.98	5,5JJx15	4	114,3	64	ET50
Accord Aerodeck	01.92-09.98	5,5JJx15	4	114,3	64	ET50
Accord Coupe	04.94-06.98	5,5JJx15	4	114,3	64	ET50
Accord Coupe	04.94-06.98	5,5JJx15	4	114,3	64	ET50
Accord Tourer	05.03-05.08	6,5JJx16	5	114,3	64	ET55
Accord Tourer	05.03-05.08	6,5JJx16	5	114,3	64	ET55
Accord Tourer	06.08-	6,5Jx16	5	114,3	64	ET50
Civic	03.01-12.05	5,5Jx14	4	100	56	ET45
Civic	02.95-02.01	5Jx14	4	100	56	ET45
Civic	10.91-02.01	5Jx14	4	100	56	ET45
Civic	09.97-02.01	5,5Jx15	4	114,3	64	ET55
Civic	03.01-12.05	6Jx15	4	100	56	ET45
Civic	01.06-	6,5Jx16	5	114,3	64	ET55
Civic	01.06-	6,5Jx16	5	114,3	64	ET55
Civic 3/4dv.	10.91-02.01	5Jx13	4	100	56	ET45
Civic 3/4dv.	10.91-02.01	5Jx14	4	100	56	ET45
Civic 3/5dv.	03.01-12.05	5,5Jx14	4	100	56	ET45
Civic 3/5dv.	03.01-12.05	6Jx15	4	100	56	ET45
Civic 5dv.	02.95-02.01	5Jx14	4	100	56	ET45
Civic Aerodeck	04.98-12.00	5Jx14	4	100	56	ET45
Civic Aerodeck	04.98-12.00	5Jx14	4	100	56	ET45
Civic Aerodeck	04.98-12.00	5,5Jx15	4	114,3	64	ET55
Civic Coupe	01.94-02.96	5Jx13	4	100	56	ET45
Civic Coupe	01.94-02.01	5Jx14	4	100	56	ET45
Civic Coupé	01.94-02.01	5Jx14	4	100	56	ET45
Civic Coupe	03.01-12.05	6Jx15	4	100	56	ET45
Civic Coupé	03.01-12.05	6Jx15	4	100	56	ET45
Civic Sport	03.01-12.05	6JJx15	5	114,3	64	ET45
Civic Sport 3-türig	03.01-12.05	6JJx15	5	114,3	64	ET45

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
CR-V	06.97-05.02	6JJx15	5	114,3	64	ET50
CR-V	06.97-05.02	6JJx15	5	114,3	64	ET50
CRX	06.92-12.99	5Jx14	4	100	56	ET45
CRX	06.92-12.99	5Jx14	4	100	56	ET45
FR-V	01.05-	6JJx15	5	114,3	64	ET50
FR-V	03.05-	6JJx15	5	114,3	64	ET50
HR-V	01.99-12.05	5,5JJx15	5	114,3	64	ET45
HR-V	01.99-	5,5JJx15	5	114,3	64	ET45
Insight	01.09-	5,5JJx15	4	100	56	ET45
Jazz	04.02-02.04	5,5JJx14	4	100	56	ET45
Jazz	04.02-02.04	5,5JJx14	4	100	56	ET45
Jazz	03.04-12.07	5,5JJx14	4	100	56	ET45
Jazz	03.04-12.07	5,5JJx14	4	100	56	ET45
Jazz	02.08-	5,5JJx15	4	100	56	ET45
Prelude	02.92-12.00	6,5JJx15	5	114,3	64	ET55
Shuttle	09.97-12.00	6Jx15	5	114,3	64	ET45
Stream	05.01-12.05	6JJx15	5	114,3	64	ET45
Stream	05.01-	6JJx15	5	114,3	64	ET45
HYUNDAI						
Accent	11.94-12.99	5Jx13	4	114,3	67	ET46
Accent	11.94-12.99	5Jx13	4	114,3	67	ET46
Accent	01.00-05.06	5Jx13	4	100	54	ET46
Accent	01.00-05.06	5Jx13	4	100	54	ET46
Accent	06.06-	5,5Jx14	4	100	54	ET46
Accent	06.06-	5,5Jx14	4	100	54	ET46
Accent	01.00-05.06	5Jx14	4	100	54	ET46
Accent	01.00-05.06	5Jx14	4	100	54	ET46
Accent	01.00-05.06	5Jx14	4	100	54	ET46
Accent	01.00-05.06	5Jx14	4	100	54	ET46
Atos/Prime	04.98-01.01	4,00Bx13	4	114,3	67	ET46
Atos/Prime	02.01-12.02	5Jx13	4	100	54	ET46
Atos/Prime	02.01-12.02	5Jx13	4	100	54	ET46
Atos/Santro Xing	03.04-	5Jx13	4	100	54	ET46
Atos/Santro Xing	03.04-	5Jx13	4	100	54	ET46
Coupe	09.96-10.01	5,5Jx14	4	114,3	67	ET46
Coupé	09.96-10.01	5,5Jx14	4	114,3	67	ET46
Coupe/Tiburón	11.01-	6Jx15	5	114,3	67	ET46
Elantra	09.00-09.03	5,5Jx15	4	114,3	67	ET46
Elantra	09.00-09.03	5,5Jx15	4	114,3	67	ET46

SPIS ROZMIARÓW FELG I MOCOWAŃ STOSOWANYCH W HONDA, HYUNDAI, KIA, LADA, LANCIA, LANDROVER

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
Elantra (Facelift)	10.03-12.06	5,5Jx15	4	114,3	67	ET46
Getz	09.02-	5Jx13	4	100	54	ET46
Getz	09.02-	5Jx13	4	100	54	ET46
Getz	01.07-	5Jx14	4	100	54	ET46
Getz	09.02-	5Jx14	4	100	54	ET46
Getz	09.02-	5Jx14	4	100	54	ET46
Getz	09.02-	5Jx14	4	100	54	ET46
i10	03.08-	4,00Bx13	4	100	54	ET46
i10	03.08-	4,00Bx13	4	100	54	ET46
i10	03.08-	5Jx14	4	100	54	ET46
i10	03.08-	5Jx14	4	100	54	ET46
i10	03.08-	5Jx14	4	100	54	ET46
i20	01.09-	5Jx14	4	100	54	ET45
i20	01.09-	5,5Jx15	4	100	54	ET51
i20	01.09-	5,5Jx15	4	100	54	ET51
i30/i30cw	07.07-	5,5Jx15	5	114,3	67	ET47
i30/i30cw	07.07-	5,5Jx15	5	114,3	67	ET47
i30/i30cw	01.09-	5,5Jx15	5	114,3	67	ET47
i30/i30cw	01.09-	5,5Jx15	5	114,3	67	ET47
i30/i30cw	07.07-	6Jx16	5	114,3	67	ET51
i30/i30cw	07.07-	6Jx16	5	114,3	67	ET51
i30/i30cw	01.09-	6Jx16	5	114,3	67	ET50
Lantra	10.95-08.00	5,5Jx14	4	114,3	67	ET46
Lantra	09.91-09.95	5,5Jx14	4	114,3	67	ET46
Lantra	10.95-08.00	5,5Jx14	4	114,3	67	ET46
Lantra	09.91-09.95	5,5Jx14	4	114,3	67	ET46
Matrix	07.01-	5,5Jx14	4	114,3	67	ET46
Matrix	07.01-	5,5Jx14	4	114,3	67	ET46
Santa-Fe	04.06-	7Jx17	5	114,3	67	ET41
Santa-Fe 2WD	01.01-03.06	6Jx15	5	114,3	67	ET46
Santa-Fe 2WD	01.01-03.06	6Jx15	5	114,3	67	ET46
Santa-Fe 2WD/4WD	01.01-03.06	6,5Jx16	5	114,3	67	ET46
Santamo	05.99-12.00	5,5Jx14	4	114,3	67	ET46
Santamo	05.99-12.00	5,5Jx14	4	114,3	67	ET46
Sonata	09.93-05.01	5,5Jx14	4	114,3	67	ET46
Sonata	07.96-05.01	6Jx15	4	114,3	67	ET46
Sonata	06.01-02.05	6Jx15	4	114,3	67	ET46
Sonata	06.01-02.05	6Jx15	4	114,3	67	ET46
Sonata	07.96-05.01	6Jx15	4	114,3	67	ET46

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
Sonata/Sonica	03.05-	6,5Jx16	5	114,3	67	ET46
Sonata/Sonica	03.05-	6,5Jx16	5	114,3	67	ET46
Starex	01.00-	5,5Jx14	5	120	67	ET40
Trajet	05.00-	6Jx15	5	114,3	67	ET46
Trajet	05.00-	6Jx15	5	114,3	67	ET46
Tucson	07.04-	6,5Jx16	5	114,3	67	ET46
Tucson	07.04-	6,5Jx16	5	114,3	67	ET46
XG25/XG30/XG350	07.99-05.06	6Jx15	5	114,3	67	ET46
H-1	08.00-	5,5Jx14	5	120	67	ET40
H-1	08.00-	5,5Jx14	5	120	67	ET40
H-1	08.03-	6Jx15	5	120	67	ET40
H-1/Starex	01.00-	5,5Jx14	5	120	67	ET40
H-1/Starex	03.98-12.00	5,5Jx14	5	114,3	67	ET40
H-1/Starex	06.01-	6Jx15	5	120	67	ET40
H100	12.94-07.00	5Jx14	5	114,3	67	ET40
H100	12.94-07.00	5Jx14	5	114,3	67	ET40
H100	08.00-	5Jx14	5	120	67	ET40
TQ	01.08-	6,5Jx16	6	139,7	92,5	ET56
KIA						
Carens	04.00-07.02	5,5Jx14	4	114,3	67	ET45
Carens	04.00-07.02	5,5Jx14	4	114,3	67	ET45
Carens	10.06-	6Jx15	5	114,3	67	ET41
Carens	10.06-	6Jx15	5	114,3	67	ET41
Carens	09.02-09.06	6Jx15	4	114,3	67	ET45
Carens	08.02-09.06	6Jx15	4	114,3	67	ET45
Carnival I	01.99-05.06	6Jx15	5	114,3	67	ET50
Carnival II	06.06-	6,5Jx16	6	139,7	92,5	ET46
Carnival II	06.06-	6,5Jx16	5	139,7	92,5	ET0
Ceed/Ceed Wagon	12.06-	5,5Jx15	5	114,3	67	ET47
Ceed/Ceed Wagon	12.06-	5,5Jx15	5	114,3	67	ET47
Ceed/Ceed Wagon	12.06-	6Jx16	5	114,3	67	ET51
Ceed/Ceed Wagon	12.06-	6Jx16	5	114,3	67	ET51
Cerato	05.04-01.07	6Jx15	4	114,3	67	ET43
Cerato	05.04-	6Jx15	4	114,3	67	ET43
Clarus	07.96-12.01	5,5Jx14	4	114,3	67	ET45
Clarus	07.96-12.01	5,5Jx14	4	114,3	67	ET45
Joice	07.99-03.03	5,5Jx14	4	114,3	67	ET46
Joice	07.99-	5,5Jx14	4	114,3	67	ET46

SPIS ROZMIARÓW FELG I MOCOWAŃ STOSOWANYCH W HONDA, HYUNDAI, KIA, LADA, LANCIA, LANDROVER

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
Magentis	02.01-08.05	6Jx15	4	114,3	67	ET46
Magentis	02.01-08.05	6Jx15	4	114,3	67	ET46
Magentis	09.05-	6,5Jx16	5	114,3	67	ET46
Magentis	09.05-	6,5Jx16	5	114,3	67	ET46
Picanto	04.04-	4,00Bx13	4	100	54	ET46
Picanto	04.04-	4,00Bx13	4	100	54	ET46
Picanto	04.04-	5Jx14	4	100	54	ET46
Picanto	04.04-	5Jx14	4	100	54	ET46
Rio	09.00-06.05	5Jx13	4	100	56	ET40
Rio	09.00-06.05	5,5Jx14	4	100	54	ET40
Rio I	09.00-06.05	5,5Jx14	4	100	54	ET40
Rio II	07.05-	5,5Jx14	4	100	54	ET46
Rio II	07.05-	5,5Jx14	4	100	54	ET46
Sephia I	10.93-04.98	5Jx13	4	100	56	ET45
Sephia II	10.95-04.98	5,5Jx14	4	100	56	ET45
Sephia II	10.95-04.98	5,5Jx14	4	100	56	ET45
Shuma I	05.98-03.01	5,5Jx14	4	100	56	ET45
Shuma I	05.98-03.01	5,5Jx14	4	100	56	ET45
Shuma II	04.01-04.04	5,5Jx14	4	100	56	ET45
Shuma II	04.01-04.04	5,5Jx14	4	100	56	ET45
Sorento	09.02-	7Jx16	5	139,7	95,3	ET45
Soul	04.09-	6Jx15	5	114,3	67	ET44
Sportage II	12.04-	6,5Jx16	5	114,3	67	ET46
Sportage II	12.04-	6,5Jx16	5	114,3	67	ET46
LADA						
Lada 1500 L	05.98-	5,00Bx13	4	98	60	ET29
Lada Nova	05.98-	5,00Bx13	4	98	60	ET29

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
Samara	05.98-	5,00Bx13	4	98	58,5	ET40
LANCIA						
Dedra	09.89-11.99	5,5Jx14	4	98	58	ET43
Delta	09.93-12.00	5,5Jx14	4	98	58	ET43
Delta	06.08-	7Jx16	4	98	58	ET31
Lybra	12.99-12.05	6Jx15	4	98	58	ET37
Lybra	12.99-	6Jx15	4	98	58	ET37
Musa	01.05-	6Jx14	4	98	58	ET40
Musa	10.04-	6Jx14	4	98	58	ET40
Musa	01.05-	6Jx15	4	98	58	ET40
Musa	10.04-	6Jx15	4	98	58	ET40
Phedra	09.02-	6,5Jx15	5	98	58	ET27
Phedra	09.02-	6,5Jx15	5	98	58	ET27
Phedra	06.04-	7Jx16	5	98	58	ET27
Thesis	07.02-	6,5Jx16	5	108	58	ET36,5
Thesis	09.03-	7Jx16	5	108	58	ET39
Ypsilon	02.96-09.03	5,5Jx14	4	98	58	ET41,5
Ypsilon	10.03-	6Jx14	4	98	58	ET40
Ypsilon	09.03-	6Jx14	4	98	58	ET40
Ypsilon	10.03-	6Jx15	4	98	58	ET40
Ypsilon	09.03-	6Jx15	4	98	58	ET40
Zeta	02.95-08.02	6,5Jx15	5	98	58	ET31
Zeta	02.95-08.02	6,5Jx15	5	98	58	ET31
Zeta	02.95-08.02	6,5Jx15	5	98	58	ET31
LANDROVER						
Freelander	03.98-11.06	5,5Jx15	5	114,3	64	ET46
Freelander	12.06-	6,5Jx16	5	108	63,3	ET50