

SPIS ROZMIARÓW FELG I MOCOWAŃ STOSOWANYCH W NISSAN, OPEL

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
NISSAN						
100NX	02.91-09.95	5,5Jx14	4	100	59	ET45
100NX	02.91-09.95	6Jx14	4	100	59	ET40
Almera	10.95-01.00	5Jx13	4	100	59	ET35
Almera	10.95-02.98	5,5Jx14	4	100	59	ET40
Almera	03.98-01.00	6Jx14	4	100	59	ET40
Almera	02.00-12.06	6Jx15	4	114,3	66	ET45
Almera	02.00-	6Jx15	4	114,3	66	ET45
Almera Tino	09.00-02.06	6Jx15	5	114,3	66	ET40
Almera Tino	09.00-	6Jx15	5	114,3	66	ET40
Maxima QX	04.00-	6Jx15	5	114,3	66	ET40
Maxima QX	03.95-03.00	6Jx15	5	114,3	66	ET40
Micra	02.93-02.03	5Jx13	4	100	59	ET45
Micra	02.93-02.03	5Jx13	4	100	59	ET45
Micra	03.03-	5Jx14	4	100	60	ET45
Micra	03.03-	5Jx14	4	100	59	ET45
Micra	03.98-02.03	5Jx14	4	100	59	ET45
Micra	03.98-02.03	5Jx14	4	100	59	ET45
Micra	03.03-	5,5Jx15	4	100	60	ET50
Micra	03.03-	5,5Jx15	4	100	60	ET50
Micra CC	11.05-	5,5Jx15	4	100	60	ET50
Micra CC	11.05-	5,5Jx15	4	100	60	ET50
Navara	08.05-	7Jx16	6	114,3	66	ET30
Note	03.06-	5,5Jx15	4	100	60	ET45
Note	03.06-	5,5Jx15	4	100	60	ET45
Pathfinder	05.05-	7Jx16	6	114,3	66	ET30
Pixo	06.09-	4,5Jx14	4	100	54	ET45
Prairie Pro	01.89-12.93	5,5Jx14	4	114,3	66	ET45
Primera	09.96-04.98	5,5Jx14	4	114,3	66	ET45
Primera	09.96-04.98	5,5Jx14	4	114,3	66	ET45
Primera	10.90-08.96	5,5Jx14	4	114,3	66	ET45
Primera	09.96-03.02	6Jx15	4	114,3	66	ET45
Primera	09.96-03.02	6Jx15	4	114,3	66	ET45
Primera Traveller	10.90-09.97	5,5Jx14	4	114,3	66	ET45
Primera/Primera Traveller	04.02-03.07	6,5Jx16	5	114,3	66	ET40
Primera/Primera Traveller	04.02-	6,5Jx16	5	114,3	66	ET40
Qashqai	02.07-	6,5Jx16	5	114,3	66	ET40
Qusquai	02.07-	6,5Jx16	5	114,3	66	ET40

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
Serena	02.93-12.00	5Jx14	5	114,3	66	ET30
Sunny	02.91-09.95	5Jx13	4	100	59	ET40
Sunny	02.91-09.95	5,5Jx14	4	100	59	ET45
Sunny	09.86-02.91	5,5Jx14	4	100	59	ET45
Sunny	02.91-09.95	6Jx14	4	100	59	ET40
Terrano II	02.00-12.06	7Jx16	6	139,7	100	ET25
Tiida	01.08-	5,5Jx15	4	114,3	66	ET40
Tiida	01.08-	5,5Jx15	4	114,3	66	ET40
Interstar	01.03-	6Jx16	5	130	89	ET66
Interstar	01.03-	6Jx16	5	130	89	ET66
Kubistar	10.03-	5,5Jx14	4	100	60	ET36
Kubistar	10.03-	5,5Jx14	4	100	60	ET36
Primastar	01.03-	6Jx16	5	118	71,1	ET50
Primastar	01.03-	6Jx16	5	118	71,1	ET50
Primastar	01.03-	6Jx16	5	118	71,1	ET50
Urvan	07.87-04.95	5Jx14	6	139,7	100	ET40
OPEL						
Agila	07.00-09.03	4,5Jx14	4	100	54	ET45
Agila	03.08-	5,5Jx15	4	100	54	ET50
Agila	03.08-	5,5Jx15	4	100	54	ET50
Agila (Facelift)	10.03-02.08	4,5Jx14	4	100	54	ET45
Agila (Facelift)	10.03-02.08	4,5Jx14	4	100	54	ET45
Antara	10.06-	6,5Jx16	5	115	70,3	ET46
Astra-F	09.91-03.98	5,5Jx13	4	100	56,5	ET46
Astra-F	09.91-03.98	5,5Jx13	4	100	56,5	ET46
Astra-F	09.91-03.98	5,5Jx14	4	100	56,5	ET49
Astra-F	09.91-03.98	5,5Jx14	4	100	56,5	ET49
Astra-F	09.92-03.98	5,5Jx14	4	100	56,5	ET49
Astra-F	09.92-03.98	5,5Jx14	4	100	56,5	ET49
Astra-G	04.98-02.04	5,5Jx14	4	100	56,5	ET39
Astra-G	04.98-03.04	5,5Jx14	4	100	56,5	ET39
Astra-G	04.98-02.04	5,5Jx14	4	100	56,5	ET39
Astra-G	04.98-02.04	6Jx15	5	110	65	ET49
Astra-G	04.98-03.04	6Jx15	5	110	65	ET49
Astra-G	04.98-03.04	6Jx15	5	110	65	ET49
Astra-G	04.98-02.04	6Jx15	4	100	56,5	ET49
Astra-G	04.98-03.04	6Jx15	4	100	56,5	ET49

SPIS ROZMIARÓW FELG I MOCOWAŃ STOSOWANYCH W NISSAN, OPEL

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
Astra-G Coupe/Cabrio	02.00-04.05	6Jx15	5	110	65	ET49
Astra-G Coupé/Cabrio	02.00-04.05	6Jx15	5	110	65	ET49
Astra-G Coupe/Cabrio	02.00-04.05	6Jx15	4	100	56,5	ET49
Astra-G Coupé/Cabrio	02.00-04.05	6Jx15	4	100	56,5	ET49
Astra-G Coupe/Cabrio	02.00-04.05	6Jx16	5	110	65	ET49
Astra-G Coupé/Cabrio	02.00-04.05	6Jx16	5	110	65	ET49
Astra-G/Astra-G OPC	04.98-02.04	6Jx16	5	110	65	ET49
Astra-G/Astra-G OPC	04.98-03.04	6Jx16	5	110	65	ET49
Astra-H	03.04-	6,5Jx15	4	100	56,5	ET35
Astra-H	04.04-	6,5Jx15	4	100	56,5	ET35
Astra-H	03.04-	6,5Jx15	5	110	65	ET35
Astra-H	04.04-	6,5Jx15	5	110	65	ET35
Astra-H	04.04-	6,5Jx15	5	110	65	ET35
Astra-H	03.04-	6,5Jx16	4	100	56,5	ET37
Astra-H	04.04-	6,5Jx16	4	100	56,5	ET37
Astra-H	03.04-	6,5Jx16	5	110	65	ET37
Astra-H	04.04-	6,5Jx16	5	110	65	ET37
Astra-H GTC	03.05-	6,5Jx15	4	100	56,5	ET35
Astra-H GTC	03.05-	6,5Jx15	4	100	56,5	ET35
Astra-H GTC	03.05-	6,5Jx15	5	110	65	ET35
Astra-H GTC	03.05-	6,5Jx15	5	110	65	ET35
Astra-H GTC	03.05-	6,5Jx15	5	110	65	ET35
Astra-H GTC	03.05-	6,5Jx16	4	100	56,5	ET37
Astra-H GTC	03.05-	6,5Jx16	4	100	56,5	ET37
Astra-H GTC/Twintop	03.05-	6,5Jx16	5	110	65	ET37
Astra-H GTC/Twintop	03.05-	6,5Jx16	5	110	65	ET37
Astra-N	08.09-	6,5Jx16	5	105	65,5	ET39
Astra-N	08.09-	6,5Jx16	5	115	70,3	ET41
Calibra	06.90-08.92	5,5Jx14	4	100	56,5	ET49
Calibra	09.92-09.97	5,5Jx14	4	100	56,5	ET49
Calibra	09.92-09.97	5,5Jx14	4	100	56,5	ET49
Combo Combi/Tour	11.01-	5,5Jx14	4	100	56,5	ET49
Combo Combi/Tour	11.01-	6Jx15	5	110	65	ET49
Combo Combi/Tour	11.01-	6Jx15	5	110	65	ET49
Combo Combi/Tour	11.01-	6Jx15	5	110	65	ET49
Combo Combi/Tour	11.01-	6Jx15	4	100	56,5	ET49
Corsa-B	03.93-09.00	5Jx13	4	100	56,5	ET49
Corsa-B	03.93-09.00	5Jx13	4	100	56,5	ET49

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
Corsa-B	03.93-09.00	5Jx13	4	100	56,5	ET49
Corsa-B	03.93-09.00	5,5Jx14	4	100	56,5	ET49
Corsa-B	03.93-09.00	5,5Jx14	4	100	56,5	ET49
Corsa-C	10.00-08.06	5Jx13	4	100	56,5	ET43
Corsa-C	10.00-08.06	5Jx13	4	100	56,5	ET43
Corsa-C	10.00-08.06	5Jx13	4	100	56,5	ET43
Corsa-C	10.00-08.06	5,5Jx14	4	100	56,5	ET49
Corsa-C	10.00-08.06	5,5Jx14	4	100	56,5	ET49
Corsa-C	10.00-08.06	5,5Jx14	4	100	56,5	ET49
Corsa-C	10.00-08.06	5,5Jx14	4	100	56,5	ET49
Corsa-C	07.03-08.06	6Jx15	5	110	65	ET49
Corsa-C	07.03-08.06	6Jx15	5	110	65	ET49
Corsa-C	07.03-08.06	6Jx15	5	110	65	ET49
Corsa-C	10.00-08.06	6Jx15	4	100	56,5	ET49
Corsa-C	10.00-08.06	6Jx15	4	100	56,5	ET49
Corsa-C Combo Combi	11.01-	5,5Jx14	4	100	56,5	ET49
Corsa-D	09.06-	5,5Jx14	4	100	56,5	ET39
Corsa-D	09.06-	5,5Jx14	4	100	56,5	ET39
Corsa-D	09.06-	6Jx15	4	100	56,5	ET39
Corsa-D	09.06-	6Jx15	4	100	56,5	ET39
Corsa-D	09.06-	6Jx16	4	100	56,5	ET40
Corsa-D	09.06-	6Jx16	5	110	65	ET40
Insignia	11.08-	6,5Jx16	5	120	67	ET41
Insignia	11.08-	6,5Jx16	5	120	67	ET41
Kadett	09.84-08.91	5,5Jx13	4	100	56,5	ET49
Kadett	09.84-08.91	5,5Jx13	4	100	56,5	ET49
Kadett	09.84-08.91	5Jx13	4	100	56,5	ET49
Kadett	09.86-08.91	5,5Jx14	4	100	56,5	ET49
Kadett	09.86-08.91	5,5Jx14	4	100	56,5	ET49
Meriva	04.03-	5,5Jx14	4	100	56,5	ET43
Meriva	04.03-	5,5Jx14	4	100	56,5	ET43
Meriva	04.03-	6Jx15	4	100	56,5	ET43
Meriva	04.03-	6Jx15	4	100	56,5	ET43
Meriva	06.03-	6Jx15	5	110	65	ET43
Meriva	06.03-	6Jx15	5	110	65	ET43
Omega-B	04.94-05.03	6,5Jx15	5	110	65	ET33
Omega-B	04.94-07.03	6,5Jx15	5	110	65	ET33
Omega-B	04.94-07.03	6,5Jx15	5	110	65	ET33

SPIS ROZMIARÓW FELG I MOCOWAŃ STOSOWANYCH W NISSAN, OPEL

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
Signum	05.03-	6,5Jx15	5	110	65	ET35
Signum	05.03-	6,5Jx15	5	110	65	ET35
Signum	05.03-	6,5Jx15	5	110	65	ET35
Signum	05.03-	6,5Jx16	5	110	65	ET41
Signum	05.03-	6,5Jx16	5	110	65	ET41
Tigra	11.94-12.00	5,5Jx14	4	100	56,5	ET49
Tigra	11.94-12.00	5,5Jx14	4	100	56,5	ET49
Tigra Twin Top	09.04-	6,5Jx15	4	100	56,5	ET35
Tigra Twin Top	09.04-	6,5Jx15	4	100	56,5	ET35
Tigra Twin Top	09.04-	6Jx15	4	100	56,5	ET43
Tigra Twin Top	09.04-	6Jx15	4	100	56,5	ET43
Tigra Twin Top	09.04-	6Jx15	4	100	56,5	ET43
Vectra-A	09.88-08.92	5,5Jx13	4	100	56,5	ET49
Vectra-A	09.88-08.92	5,5Jx13	4	100	56,5	ET49
Vectra-A	09.88-08.92	5,5Jx14	4	100	56,5	ET49
Vectra-A	09.88-08.92	5,5Jx14	4	100	56,5	ET49
Vectra-A	09.92-09.95	5,5Jx14	4	100	56,5	ET49
Vectra-A	09.92-09.95	5,5Jx14	4	100	56,5	ET49
Vectra-B	10.95-03.02	5,5Jx14	4	100	56,5	ET39
Vectra-B	10.95-12.98	5,5Jx14	4	100	56,5	ET39
Vectra-B	10.95-03.02	6Jx15	5	110	65	ET49
Vectra-B	10.95-03.02	6Jx15	5	110	65	ET49
Vectra-B	10.95-03.02	6Jx15	5	110	65	ET49
Vectra-B	09.96-03.02	6Jx15	4	100	56,5	ET49
Vectra-B	09.96-03.02	6Jx15	4	100	56,5	ET49
Vectra-C	04.02-	6,5Jx15	5	110	65	ET35
Vectra-C	04.02-	6,5Jx15	5	110	65	ET35
Vectra-C	09.02-	6,5Jx16	5	110	65	ET41
Vectra-C	04.02-	6,5Jx16	5	110	65	ET41
Vectra-C Caravan	06.03-	6,5Jx16	5	110	65	ET41
Vectra-C Kombi/GTS	06.03-	6,5Jx16	5	110	65	ET41
Vectra-C/Caravan	04.02-	6,5Jx15	5	110	65	ET35
Vectra-C/GTS	09.02-	6,5Jx16	5	110	65	ET41
Zafira-A	03.99-07.05	6Jx15	5	110	65	ET43
Zafira-A	03.99-06.05	6Jx15	5	110	65	ET43
Zafira-A/OPC	10.01-07.05	6Jx16	5	110	65	ET39

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
Zafira-A/OPC	10.01-06.05	6Jx16	5	110	65	ET39
Zafira-B	08.05-	6,5Jx15	5	110	65	ET35
Zafira-B	07.05-	6,5Jx15	5	110	65	ET35
Zafira-B	07.05-	6,5Jx15	5	110	65	ET35
Zafira-B	07.05-	6,5Jx16	5	110	65	ET37
Zafira-B/CNG	08.05-	6,5Jx16	5	110	65	ET37
Astra Van	07.98-	5,5Jx14	4	100	56,5	ET39
Astra Van	07.98-	6Jx15	4	100	56,5	ET49
Astra-Van	07.98-	5,5Jx14	4	100	56,5	ET39
Astra-Van	07.98-	6Jx15	4	100	56,5	ET49
Combo-C	06.02-	6Jx15	5	110	65	ET49
Combo-C	06.02-	6Jx15	5	110	65	ET49
Combo-C	06.02-	6Jx15	5	110	65	ET49
Combo-C	06.02-	6Jx15	4	100	56,5	ET49
Combo-C Cargo	11.01-	5,5Jx14	4	100	56,5	ET49
Corsa-B Combo	05.94-10.01	5Jx13	4	100	56,5	ET49
Corsa-B Van	01.96-10.01	5Jx13	4	100	56,5	ET49
Corsa-B-Van	01.96-10.01	5Jx13	4	100	56,5	ET49
Corsa-B-Van	01.96-10.01	5Jx13	4	100	56,5	ET49
Corsa-C Combo Cargo	11.01-	5,5Jx14	4	100	56,5	ET49
Corsa-C Van	07.05-	5Jx13	4	100	56,5	ET43
Corsa-C Van	07.05-	5Jx13	4	100	56,5	ET43
Corsa-C Van	07.05-	5,5Jx14	4	100	56,5	ET49
Corsa-C Van	07.05-	5,5Jx14	4	100	56,5	ET49
Corsa-C Van	08.05-	6Jx15	5	110	65	ET49
Corsa-C Van	08.05-	6Jx15	5	110	65	ET49
Corsa-C Van	08.05-	6Jx15	5	110	65	ET49
Corsa-C Van	07.05-	6Jx15	4	100	56,5	ET49
Movano	05.98-08.00	6Jx15	5	170	130	ET66
Movano	05.98-08.00	6Jx15	5	170	130	ET66
Movano	08.00-	6Jx16	5	130	89	ET66
Movano	08.00-	6Jx16	5	130	89	ET66
Vivaro	07.01-	6Jx16	5	118	71,1	ET50
Vivaro	07.01-	6Jx16	5	118	71,1	ET50
Vivaro	07.01-	6Jx16	5	118	71,1	ET50