

SPIS ROZMIARÓW FELG I MOCOWAŃ STOSOWANYCH W PEUGEOT, PROTON, RENAULT, ROVER, SAAB

| Model | Lata produkcji | Rozmiar felg | liczba otworów mocujących | średnica otworu centralnego | Rozstaw otworów mocujących | ET |
|----------------|----------------|--------------|---------------------------|-----------------------------|----------------------------|------|
| PEUGEOT | | | | | | |
| 1007 | 05.05- | 5,5Jx14 | 4 | 108 | 65 | ET24 |
| 1007 | 05.05- | 5,5Jx14 | 4 | 108 | 65 | ET24 |
| 1007 | 05.05- | 6Jx15 | 4 | 108 | 65 | ET27 |
| 1007 | 05.05- | 6Jx15 | 4 | 108 | 65 | ET27 |
| 106 | 07.92-05.96 | 4,50Bx13 | 3 | 98 | 55 | ET20 |
| 106 | 06.96-12.03 | 4,50Bx13 | 3 | 98 | 55 | ET15 |
| 106 | 06.96-12.03 | 5,00Bx13 | 4 | 108 | 65 | ET20 |
| 106 | 07.92-05.96 | 5,00Bx13 | 4 | 108 | 65 | ET20 |
| 106 | 06.96-12.03 | 5,00Bx13 | 4 | 108 | 65 | ET20 |
| 106 | 07.92-05.96 | 5,00Bx13 | 4 | 108 | 65 | ET20 |
| 106 | 01.92-05.96 | 5,5Jx14 | 4 | 108 | 65 | ET18 |
| 106 | 06.96-12.03 | 5Jx14 | 4 | 108 | 65 | ET20 |
| 107 | 08.05- | 4,5Jx14 | 4 | 100 | 54 | ET39 |
| 107 | 06.05- | 4,5Jx14 | 4 | 100 | 54 | ET39 |
| 205 | 09.82-12.88 | 5,00Bx13 | 4 | 108 | 65 | ET28 |
| 205 | 09.82-12.88 | 5,00Bx13 | 4 | 108 | 65 | ET28 |
| 205 | 01.86-07.96 | 5,5Jx14 | 4 | 108 | 65 | ET24 |
| 206 | 10.98-05.06 | 5,00Bx13 | 4 | 108 | 65 | ET28 |
| 206 | 10.98- | 5,00Bx13 | 4 | 108 | 65 | ET28 |
| 206CC | 03.01- | 6Jx15 | 4 | 108 | 65 | ET27 |
| 206/SW | 10.98- | 5,5Jx14 | 4 | 108 | 65 | ET34 |
| 206/SW | 10.98-05.06 | 5,5Jx14 | 4 | 108 | 65 | ET34 |
| 206/SW | 08.00- | 6Jx15 | 4 | 108 | 65 | ET27 |
| 206/SW | 08.00-05.06 | 6Jx15 | 4 | 108 | 65 | ET27 |
| 206CC | 03.01-03.07 | 6Jx15 | 4 | 108 | 65 | ET27 |
| 207 | 06.06- | 6Jx15 | 4 | 108 | 65 | ET23 |
| 207 | 06.06- | 6Jx15 | 4 | 108 | 65 | ET23 |
| 207 | 06.06- | 6Jx16 | 4 | 108 | 65 | ET27 |
| 207/207CC | 06.06- | 6Jx16 | 4 | 108 | 65 | ET27 |
| 306 | 03.93-08.01 | 5,00Bx13 | 4 | 108 | 65 | ET20 |
| 306 | 04.97-06.99 | 5,50Bx13 | 4 | 108 | 65 | ET20 |
| 306 | 03.93-08.01 | 5,00Bx13 | 4 | 108 | 65 | ET20 |
| 306 | 04.97-02.01 | 5,5Jx14 | 4 | 108 | 65 | ET24 |
| 306 | 04.97-02.01 | 5,5Jx14 | 4 | 108 | 65 | ET24 |
| 306 | 04.97-02.01 | 5,5Jx14 | 4 | 108 | 65 | ET24 |
| 306 | 03.93-03.97 | 5,5Jx14 | 4 | 108 | 65 | ET24 |
| 306 | 07.00-02.01 | 6Jx15 | 4 | 108 | 65 | ET18 |

| Model | Lata produkcji | Rozmiar felg | liczba otworów mocujących | średnica otworu centralnego | Rozstaw otworów mocujących | ET |
|--------------------|----------------|--------------|---------------------------|-----------------------------|----------------------------|------|
| 306 | 07.00-02.01 | 6Jx15 | 4 | 108 | 65 | ET18 |
| 307 CC | 08.03-09.07 | 6,5Jx16 | 4 | 108 | 65 | ET31 |
| 307/SW/Break | 09.01- | 6Jx15 | 4 | 108 | 65 | ET27 |
| 307/SW/Break | 09.01-09.07 | 6Jx15 | 4 | 108 | 65 | ET27 |
| 307/SW/Break | 09.01- | 6,5Jx16 | 4 | 108 | 65 | ET31 |
| 307/SW/Break | 09.01-09.07 | 6,5Jx16 | 4 | 108 | 65 | ET31 |
| 307CC | 08.03- | 6,5Jx16 | 4 | 108 | 65 | ET31 |
| 308 | 10.07- | 6,5Jx15 | 4 | 108 | 65 | ET27 |
| 308 | 10.07- | 6,5Jx15 | 4 | 108 | 65 | ET27 |
| 308 | 10.07- | 7Jx16 | 4 | 108 | 65 | ET32 |
| 308 | 10.07- | 7Jx16 | 4 | 108 | 65 | ET32 |
| 309 | 10.85-10.95 | 5,5Jx14 | 4 | 108 | 65 | ET24 |
| 4007 | 09.07- | 6,5Jx16 | 5 | 114,3 | 67 | ET38 |
| 405 | 09.92-05.96 | 5,5Jx14 | 4 | 108 | 65 | ET24 |
| 405 | 09.87-10.95 | 5Jx14 | 4 | 108 | 65 | ET25 |
| 406 | 11.95-04.99 | 5,5Jx14 | 4 | 108 | 65 | ET18 |
| 406 | 11.95-03.04 | 6Jx15 | 4 | 108 | 65 | ET18 |
| 406 | 11.95-03.04 | 6Jx15 | 4 | 108 | 65 | ET18 |
| 406 | 11.95-03.04 | 6Jx15 | 4 | 108 | 65 | ET18 |
| 407 | 04.04- | 6,5Jx16 | 5 | 108 | 65 | ET44 |
| 407 | 04.04- | 7Jx17 | 5 | 108 | 65 | ET48 |
| 407/Coupe | 08.05- | 7Jx17 | 5 | 108 | 65 | ET48 |
| 407/Break | 04.04- | 6,5Jx16 | 5 | 108 | 65 | ET44 |
| 407/Break | 04.04- | 7Jx17 | 5 | 108 | 65 | ET48 |
| 5008 | 06.09- | 7Jx16 | 4 | 108 | 65 | ET29 |
| 607 | 11.00- | 7Jx16 | 5 | 108 | 65 | ET39 |
| 806 | 09.94-08.02 | 6,5Jx15 | 5 | 98 | 58 | ET31 |
| 806 | 09.94-08.02 | 6,5Jx15 | 5 | 98 | 58 | ET31 |
| 806 | 09.94-08.02 | 6,5Jx15 | 5 | 98 | 58 | ET31 |
| 807 | 09.02- | 6,5Jx15 | 5 | 98 | 58 | ET27 |
| 807 | 09.02- | 6,5Jx15 | 5 | 98 | 58 | ET27 |
| 807 | 06.04- | 7Jx16 | 5 | 98 | 58 | ET27 |
| Bipper | 02.08- | 5,5Jx14 | 4 | 98 | 58 | ET44 |
| Bipper | 02.08- | 5,5Jx14 | 4 | 98 | 58 | ET44 |
| Bipper | 02.08- | 6Jx15 | 4 | 98 | 58 | ET44 |
| Bipper | 02.08- | 6Jx15 | 4 | 98 | 58 | ET44 |
| Boxer II/4x4/kombi | 04.02-09.06 | 6Jx15 | 5 | 118 | 71,1 | ET68 |
| Boxer II/4x4/kombi | 04.02-09.06 | 6Jx15 | 5 | 118 | 71,1 | ET68 |

SPIS ROZMIARÓW FELG I MOCOWAŃ STOSOWANYCH W PEUGEOT, PROTON, RENAULT, ROVER, SAAB

| Model | Lata produkcji | Rozmiar felg | liczba otworów mocujących | średnica otworu centralnego | Rozstaw otworów mocujących | ET |
|---------------------|----------------|--------------|---------------------------|-----------------------------|----------------------------|------|
| Boxer II/4x4/kombi | 04.02-09.06 | 6Jx15 | 5 | 118 | 71,1 | ET68 |
| Boxer II/4x4/kombi | 04.02-09.06 | 6Jx16 | 5 | 130 | 78,1 | ET68 |
| Boxer II/4x4/kombi | 04.02-06.06 | 6Jx16 | 5 | 130 | 78,1 | ET68 |
| Boxer II/4x4/kombi | 04.02-06.06 | 6Jx16 | 5 | 130 | 78,1 | ET68 |
| Boxer III | 10.06- | 6Jx15 | 5 | 118 | 71,1 | ET68 |
| Boxer III | 10.06- | 6Jx15 | 5 | 118 | 71,1 | ET68 |
| Boxer III | 10.06- | 6Jx15 | 5 | 118 | 71,1 | ET68 |
| Boxer III | 10.06- | 6Jx15 | 5 | 118 | 71,1 | ET68 |
| Boxer III | 10.06- | 6Jx15 | 5 | 118 | 71,1 | ET68 |
| Boxer III | 10.06- | 6Jx15 | 5 | 118 | 71,1 | ET68 |
| Boxer III | 10.06- | 6Jx16 | 5 | 130 | 78,1 | ET68 |
| Boxer/4x4/kombi | 03.94-03.02 | 6Jx15 | 5 | 118 | 71,1 | ET68 |
| Boxer/4x4/kombi | 03.94-03.02 | 6Jx15 | 5 | 118 | 71,1 | ET68 |
| Boxer/4x4/kombi | 03.94-03.02 | 6Jx15 | 5 | 118 | 71,1 | ET68 |
| Boxer/4x4/kombi | 03.94-03.02 | 6Jx16 | 5 | 130 | 78,1 | ET68 |
| Boxer/4x4/kombi | 03.94-03.02 | 6Jx16 | 5 | 130 | 78,1 | ET68 |
| Boxer/4x4/kombi | 03.94-03.02 | 6Jx16 | 5 | 130 | 78,1 | ET68 |
| Expert I | 04.00-02.04 | 6,5Jx15 | 5 | 98 | 58 | ET31 |
| Expert I | 04.00-02.04 | 6,5Jx15 | 5 | 98 | 58 | ET31 |
| Expert I | 04.00-02.04 | 6,5Jx15 | 5 | 98 | 58 | ET31 |
| Expert I (Facelift) | 03.04-01.07 | 6,5Jx15 | 5 | 98 | 58 | ET31 |
| Expert I (Facelift) | 03.04-01.07 | 6,5Jx15 | 5 | 98 | 58 | ET31 |
| Expert I Kombi | 03.04-01.07 | 6,5Jx15 | 5 | 98 | 58 | ET31 |
| Expert I Kombi | 03.04- | 6,5Jx15 | 5 | 98 | 58 | ET31 |
| Expert II | 03.04-09.06 | 6,5Jx15 | 5 | 98 | 58 | ET31 |
| Expert II Kasten | 02.07- | 6,5Jx15 | 5 | 108 | 65 | ET38 |
| Expert II Kasten | 02.07- | 7Jx16 | 5 | 108 | 65 | ET42 |
| Expert II Tepee | 02.07- | 7Jx16 | 5 | 108 | 65 | ET42 |
| Expert III | 10.06- | 6,5Jx15 | 5 | 98 | 58 | ET31 |
| Expert III | 10.06- | 7Jx16 | 5 | 98 | 58 | ET42 |
| Partner | 04.03- | 5,5Jx14 | 4 | 108 | 65 | ET24 |
| Partner | 03.96-03.03 | 5,5Jx14 | 4 | 108 | 65 | ET24 |
| Partner | 04.03- | 5,5Jx14 | 4 | 108 | 65 | ET24 |
| Partner | 03.96-03.03 | 5,5Jx14 | 4 | 108 | 65 | ET24 |
| Partner | 05.08- | 6,5Jx15 | 4 | 108 | 65 | ET27 |
| Partner | 05.08- | 6,5Jx15 | 4 | 108 | 65 | ET27 |
| Partner Kombi | 04.03- | 5,5Jx14 | 4 | 108 | 65 | ET24 |
| Partner Kombi | 03.96-03.03 | 5,5Jx14 | 4 | 108 | 65 | ET24 |
| Partner Kombi | 03.96-03.03 | 5,5Jx14 | 4 | 108 | 65 | ET24 |

| Model | Lata produkcji | Rozmiar felg | liczba otworów mocujących | średnica otworu centralnego | Rozstaw otworów mocujących | ET |
|---------------------|----------------|--------------|---------------------------|-----------------------------|----------------------------|------|
| Partner Kombi | 04.03- | 5,5Jx14 | 4 | 108 | 65 | ET24 |
| Partner Kombi | 04.03- | 6Jx15 | 4 | 108 | 65 | ET18 |
| Partner Kombi | 01.01-03.03 | 6Jx15 | 4 | 108 | 65 | ET18 |
| Partner Kombi | 04.03- | 6Jx15 | 4 | 108 | 65 | ET18 |
| Partner Kombi | 01.01-03.03 | 6Jx15 | 4 | 108 | 65 | ET18 |
| PROTON | | | | | | |
| 300/400 | 08.96-12.01 | 5,00Bx13 | 4 | 100 | 56 | ET46 |
| 300/400 | 08.96-12.01 | 5,00Bx13 | 4 | 100 | 56 | ET46 |
| 400 | 03.95-12.01 | 5,5JJx14 | 4 | 100 | 56 | ET46 |
| RENAULT | | | | | | |
| Avantime | 07.02-03.03 | 7Jx16 | 5 | 108 | 60 | ET42 |
| Clio I | 03.93-09.98 | 4,50Bx13 | 4 | 100 | 60 | ET36 |
| Clio I | 03.93-09.98 | 4,50Bx13 | 4 | 100 | 60 | ET36 |
| Clio I | 01.91-09.98 | 5,00Bx13 | 4 | 100 | 60 | ET36 |
| Clio II | 10.98-08.05 | 5,50Bx13 | 4 | 100 | 60 | ET36 |
| Clio II | 10.98-08.05 | 5,00Bx13 | 4 | 100 | 60 | ET36 |
| Clio II | 10.98-08.05 | 5,50Bx13 | 4 | 100 | 60 | ET36 |
| Clio II | 10.98-08.05 | 6Jx14 | 4 | 100 | 60 | ET43 |
| Clio II | 06.00-08.05 | 6Jx15 | 4 | 100 | 60 | ET43 |
| Clio II | 06.00-08.05 | 6Jx15 | 4 | 100 | 60 | ET43 |
| Clio II/Scania | 10.98-08.05 | 5,5Jx14 | 4 | 100 | 60 | ET36 |
| Clio II/Scania | 10.98-08.05 | 5,5Jx14 | 4 | 100 | 60 | ET36 |
| Clio III | 09.05- | 5,5Jx15 | 4 | 100 | 60 | ET43 |
| Clio III | 09.05- | 5,5Jx15 | 4 | 100 | 60 | ET43 |
| Clio III | 09.05- | 6Jx15 | 4 | 100 | 60 | ET43 |
| Clio III | 09.05- | 6Jx15 | 4 | 100 | 60 | ET43 |
| Clio III | 09.05- | 6Jx15 | 4 | 100 | 60 | ET50 |
| Clio III | 09.05- | 6Jx15 | 4 | 100 | 60 | ET50 |
| Clio III | 09.05- | 6,5Jx16 | 4 | 100 | 60 | ET43 |
| Espace | 04.91-12.96 | 6Jx15 | 5 | 108 | 60 | ET42 |
| Espace/Grand Espace | 01.97-09.02 | 6,5Jx15 | 5 | 108 | 60 | ET50 |
| Espace/Grand Espace | 10.02- | 6,5Jx16 | 5 | 108 | 60 | ET50 |
| Espace/Grand Espace | 10.02- | 6,5Jx16 | 5 | 108 | 60 | ET50 |
| Espace/Grand Espace | 01.00-09.02 | 7Jx16 | 5 | 108 | 60 | ET42 |
| Espace/Grand Espace | 10.02- | 7Jx17 | 5 | 108 | 60 | ET50 |
| Espace/Grand Espace | 10.02- | 7Jx17 | 5 | 108 | 60 | ET50 |
| Laguna | 05.98-02.01 | 6,5Jx15 | 5 | 108 | 60 | ET50 |

SPIS ROZMIARÓW FELG I MOCOWAŃ STOSOWANYCH W PEUGEOT, PROTON, RENAULT, ROVER, SAAB

| Model | Lata produkcji | Rozmiar felg | liczba otworów mocujących | średnica otworu centralnego | Rozstaw otworów mocujących | ET |
|-------------------------------|----------------|--------------|---------------------------|-----------------------------|----------------------------|------|
| Laguna | 05.98-02.01 | 6,5Jx15 | 5 | 108 | 60 | ET50 |
| Laguna | 05.96-02.01 | 6,5Jx15 | 4 | 100 | 60 | ET50 |
| Laguna | 05.96-02.01 | 6,5Jx15 | 4 | 100 | 60 | ET50 |
| Laguna Grandtour | 06.96-02.01 | 6,5Jx15 | 5 | 108 | 60 | ET50 |
| Laguna Grandtour | 06.96-02.01 | 6,5Jx15 | 5 | 108 | 60 | ET50 |
| Laguna Grandtour | 06.96-02.01 | 6,5Jx15 | 4 | 100 | 60 | ET50 |
| Laguna Grandtour | 06.96-02.01 | 6,5Jx15 | 4 | 100 | 60 | ET50 |
| Laguna II/Grandtour | 03.01-04.07 | 6,5Jx15 | 5 | 108 | 60 | ET50 |
| Laguna II/Grandtour | 03.01-04.07 | 6,5Jx15 | 5 | 108 | 60 | ET50 |
| Laguna II/Grandtour | 03.01-04.07 | 6,5Jx16 | 5 | 108 | 60 | ET50 |
| Laguna II/Grandtour | 03.01-04.07 | 6,5Jx16 | 5 | 108 | 60 | ET50 |
| Laguna III/Grandtour | 10.07- | 6Jx16 | 5 | 114,3 | 66 | ET42 |
| Laguna III/Grandtour | 10.07- | 7Jx16 | 5 | 114,3 | 66 | ET47 |
| Laguna III/Grandtour | 10.07- | 7Jx16 | 5 | 114,3 | 66 | ET47 |
| Megane | 01.96-10.02 | 5,50Bx13 | 4 | 100 | 60 | ET36 |
| Megane | 01.96-10.02 | 5,50Bx13 | 4 | 100 | 60 | ET36 |
| Megane | 01.96-10.02 | 5,5Jx14 | 4 | 100 | 60 | ET36 |
| Megane | 01.96-10.02 | 5,5Jx14 | 4 | 100 | 60 | ET36 |
| Megane | 01.96-09.02 | 6,5Jx15 | 4 | 100 | 60 | ET44 |
| Megane | 07.99-10.02 | 6Jx15 | 4 | 100 | 60 | ET43 |
| Megane | 07.99-10.02 | 6Jx15 | 4 | 100 | 60 | ET43 |
| Megane Break | 01.99-05.03 | 5,5Jx14 | 4 | 100 | 60 | ET36 |
| Megane Break | 01.99-05.03 | 5,5Jx14 | 4 | 100 | 60 | ET36 |
| Megane Break | 08.99-05.03 | 6Jx15 | 4 | 100 | 60 | ET43 |
| Megane Break | 08.99-05.03 | 6Jx15 | 4 | 100 | 60 | ET43 |
| Megane II | 11.02- | 6,5Jx15 | 4 | 100 | 60 | ET45 |
| Megane II | 11.02- | 6,5Jx15 | 4 | 100 | 60 | ET45 |
| Megane II | 04.05- | 6,5Jx16 | 5 | 108 | 60 | ET49 |
| Megane II | 11.02- | 6,5Jx16 | 4 | 100 | 60 | ET49 |
| Megane II | 11.02- | 6,5Jx16 | 4 | 100 | 60 | ET49 |
| Megane II Scenic | 06.03- | 6,5Jx15 | 4 | 100 | 60 | ET45 |
| Megane II Scenic | 06.03- | 6,5Jx15 | 4 | 100 | 60 | ET45 |
| Megane II Scenic | 06.03- | 6,5Jx16 | 5 | 108 | 60 | ET49 |
| Megane II Scenic | 06.03- | 6,5Jx16 | 4 | 100 | 60 | ET49 |
| Megane II Scenic/Grand Scenic | 06.03- | 6,5Jx16 | 5 | 108 | 60 | ET49 |
| Megane II Scenic/Grand Scenic | 06.03- | 6,5Jx16 | 4 | 100 | 60 | ET49 |
| Megane III | 11.08- | 6,5Jx15 | 5 | 114,3 | 67 | ET42 |
| Megane III | 11.08- | 6,5Jx15 | 5 | 114,3 | 67 | ET42 |

| Model | Lata produkcji | Rozmiar felg | liczba otworów mocujących | średnica otworu centralnego | Rozstaw otworów mocujących | ET |
|------------------|----------------|--------------|---------------------------|-----------------------------|----------------------------|------|
| Megane III | 11.08- | 6,5Jx16 | 5 | 114,3 | 67 | ET47 |
| Megane III | 11.08- | 6,5Jx16 | 5 | 114,3 | 67 | ET47 |
| Megane Scenic | 01.97-07.98 | 5,5Jx14 | 4 | 100 | 60 | ET36 |
| Megane Scenic | 01.97-07.98 | 5,5Jx14 | 4 | 100 | 60 | ET36 |
| Megane Scenic | 01.97-07.99 | 6Jx14 | 4 | 100 | 60 | ET43 |
| Megane Scenic | 08.99-05.03 | 6Jx15 | 4 | 100 | 60 | ET43 |
| Megane Scenic | 08.99-05.03 | 6Jx15 | 4 | 100 | 60 | ET43 |
| Megane Scenic | 06.00-05.03 | 6,5Jx16 | 4 | 100 | 60 | ET43 |
| Megane Scenic II | 07.05- | 6,5Jx16 | 5 | 108 | 60 | ET49 |
| Modus | 09.04- | 5,5Jx15 | 4 | 100 | 60 | ET43 |
| Modus | 09.04- | 5,5Jx15 | 4 | 100 | 60 | ET43 |
| Modus | 09.04- | 6Jx15 | 4 | 100 | 60 | ET50 |
| Modus | 09.04- | 6Jx15 | 4 | 100 | 60 | ET50 |
| R19 | 01.89-12.95 | 5,00Bx13 | 4 | 100 | 60 | ET36 |
| R19 | 01.89-12.95 | 5,00Bx13 | 4 | 100 | 60 | ET36 |
| R19 | 01.89-12.95 | 5,50Bx13 | 4 | 100 | 60 | ET36 |
| R21 | 03.86-03.94 | 5,00Bx13 | 4 | 100 | 60 | ET36 |
| R21 | 03.86-03.94 | 5,00Bx13 | 4 | 100 | 60 | ET36 |
| R21 | 03.86-03.94 | 5,50Bx13 | 4 | 100 | 60 | ET36 |
| R5 | 07.87-11.92 | 5,00Bx13 | 4 | 100 | 60 | ET36 |
| R5 | 07.87-11.92 | 5,00Bx13 | 4 | 100 | 60 | ET36 |
| Safrane | 09.96-12.02 | 6,5Jx15 | 5 | 108 | 60 | ET50 |
| Safrane | 09.96-12.02 | 6,5Jx15 | 5 | 108 | 60 | ET50 |
| Thalia | 01.02- | 5,50Bx13 | 4 | 100 | 60 | ET36 |
| Thalia | 01.02- | 5,50Bx13 | 4 | 100 | 60 | ET36 |
| Thalia | 01.02- | 5,5Jx14 | 4 | 100 | 60 | ET36 |
| Thalia | 01.02- | 5,5Jx14 | 4 | 100 | 60 | ET36 |
| Thalia | 01.02- | 6Jx14 | 4 | 100 | 60 | ET43 |
| Thalia | 01.02- | 6Jx15 | 4 | 100 | 60 | ET43 |
| Thalia | 01.02- | 6Jx15 | 4 | 100 | 60 | ET43 |
| Twingo I | 07.98-12.06 | 4,50Bx13 | 4 | 100 | 60 | ET36 |
| Twingo I | 05.93-08.07 | 4,50Bx13 | 4 | 100 | 60 | ET36 |
| Twingo I | 10.00-08.07 | 5,5Jx14 | 4 | 100 | 60 | ET36 |
| Twingo I | 10.00-12.06 | 5,5Jx14 | 4 | 100 | 60 | ET36 |
| Twingo II | 09.07- | 5,5Jx14 | 4 | 100 | 60 | ET29 |
| Twingo II | 09.07- | 5,5Jx14 | 4 | 100 | 60 | ET29 |
| Vel Satis | 10.02- | 7Jx17 | 5 | 108 | 60 | ET50 |
| Vel Satis | 10.02- | 7Jx17 | 5 | 108 | 60 | ET50 |

SPIS ROZMIARÓW FELG I MOCOWAŃ STOSOWANYCH W PEUGEOT, PROTON, RENAULT, ROVER, SAAB

| Model | Lata produkcji | Rozmiar felg | liczba otworów mocujących | średnica otworu centralnego | Rozstaw otworów mocujących | ET |
|----------------------|----------------|--------------|---------------------------|-----------------------------|----------------------------|------|
| Kangoo | 04.98-12.07 | 5,00Bx13 | 4 | 100 | 60 | ET36 |
| Kangoo | 04.98-12.07 | 5,5Jx14 | 4 | 100 | 60 | ET36 |
| Kangoo | 04.98-12.07 | 5,5Jx14 | 4 | 100 | 60 | ET36 |
| Kangoo 4x4 | 09.01-12.07 | 5,5Jx15 | 4 | 100 | 60 | ET43 |
| Kangoo II | 01.08- | 5,5Jx14 | 4 | 100 | 60 | ET45 |
| Kangoo II | 01.08- | 5,5Jx14 | 4 | 100 | 60 | ET45 |
| Kangoo II | 01.08- | 6Jx15 | 5 | 108 | 60 | ET44 |
| Kangoo II | 01.08- | 6Jx15 | 5 | 108 | 60 | ET44 |
| Kangoo II 4x4 | 01.08- | 6Jx16 | 5 | 108 | 60 | ET44 |
| Kangoo II 4x4 | 01.08- | 6Jx16 | 5 | 108 | 60 | ET44 |
| Kangoo Rapid | 04.98- | 5,00Bx13 | 4 | 100 | 60 | ET36 |
| Kangoo Rapid | 04.98- | 5,00Bx13 | 4 | 100 | 60 | ET36 |
| Kangoo Rapid | 04.98- | 5,5Jx14 | 4 | 100 | 60 | ET36 |
| Kangoo Rapid/Express | 04.98- | 5,5Jx14 | 4 | 100 | 60 | ET36 |
| Master | 11.09- | 6,5Jx16 | 5 | 130 | 89 | ET66 |
| Master | 11.09- | 7x16 | 5 | 130 | 89 | ET66 |
| Master/Master Kombi | 01.98-09.05 | 6Jx15 | 5 | 170 | 130 | ET66 |
| Master/Master Kombi | 01.98-09.05 | 6Jx15 | 5 | 170 | 130 | ET66 |
| Master/Master Kombi | 08.00- | 6Jx16 | 5 | 130 | 89 | ET66 |
| Master/Master Kombi | 08.00- | 6Jx16 | 5 | 130 | 89 | ET66 |
| Trafic | 10.01- | 6Jx16 | 5 | 118 | 71,1 | ET50 |
| Trafic | 10.01- | 6Jx16 | 5 | 118 | 71,1 | ET50 |
| Trafic | 10.01- | 6Jx16 | 5 | 118 | 71,1 | ET50 |
| ROVER | | | | | | |
| 200 | 05.96-01.00 | 5,5Jx14 | 4 | 100 | 56 | ET45 |
| 200 | 05.96-01.00 | 5,5Jx14 | 4 | 100 | 56 | ET45 |
| 200 | 03.96-01.00 | 5Jx14 | 4 | 100 | 56 | ET45 |
| 200/400 | 10.89-02.96 | 5Jx14 | 4 | 100 | 56 | ET45 |
| 25 | 02.00-12.05 | 5,5Jx14 | 4 | 100 | 56 | ET45 |
| 25 | 02.00- | 5,5Jx14 | 4 | 100 | 56 | ET45 |
| 400 | 03.96-01.00 | 5,5Jx14 | 4 | 100 | 56 | ET45 |

| Model | Lata produkcji | Rozmiar felg | liczba otworów mocujących | średnica otworu centralnego | Rozstaw otworów mocujących | ET |
|-------------------------|----------------|--------------|---------------------------|-----------------------------|----------------------------|------|
| 400 | 03.96-01.00 | 5,5Jx14 | 4 | 100 | 56 | ET45 |
| 400 | 03.96-01.00 | 5Jx14 | 4 | 100 | 56 | ET45 |
| 45 | 02.00-12.05 | 5,5Jx14 | 4 | 100 | 56 | ET45 |
| 45 | 02.00- | 5,5Jx14 | 4 | 100 | 56 | ET45 |
| 45/MG ZS | 04.04-12.05 | 5,5Jx14 | 4 | 100 | 56 | ET45 |
| 600 | 09.93-02.99 | 5,5Jx15 | 4 | 114,3 | 64 | ET50 |
| 600 | 09.93-02.99 | 5,5Jx15 | 4 | 114,3 | 64 | ET50 |
| 75 | 03.99-02.04 | 6Jx15 | 5 | 100 | 56 | ET50 |
| 75/75-Tourer | 03.99-02.04 | 6Jx15 | 5 | 100 | 56 | ET50 |
| 75/75-Tourer (Facelift) | 03.04-12.05 | 6,5Jx15 | 5 | 100 | 56 | ET50 |
| SAAB | | | | | | |
| 03-wrz | 09.02- | 6,5Jx15 | 5 | 110 | 65 | ET41 |
| 03-wrz | 09.02- | 6,5Jx15 | 5 | 110 | 65 | ET41 |
| 03-wrz | 03.98-08.02 | 6Jx15 | 5 | 110 | 65 | ET49 |
| 03-wrz | 03.98-08.02 | 6Jx15 | 5 | 110 | 65 | ET49 |
| 03-wrz | 09.02- | 6,5Jx16 | 5 | 110 | 65 | ET41 |
| 03-wrz | 09.02- | 6,5Jx16 | 5 | 110 | 65 | ET41 |
| 9-3 Cabrio | 09.03- | 6,5Jx15 | 5 | 110 | 65 | ET41 |
| 9-3 Cabrio | 09.03- | 6,5Jx15 | 5 | 110 | 65 | ET41 |
| 9-3 Cabrio | 09.03- | 6,5Jx16 | 5 | 110 | 65 | ET41 |
| 9-3 Cabrio | 09.03- | 6,5Jx16 | 5 | 110 | 65 | ET41 |
| 05-wrz | 09.97-08.05 | 6Jx15 | 5 | 110 | 65 | ET49 |
| 05-wrz | 09.05- | 6Jx15 | 5 | 110 | 65 | ET49 |
| 05-wrz | 09.97- | 6Jx15 | 5 | 110 | 65 | ET49 |
| 900 | 10.96-02.98 | 6Jx15 | 5 | 110 | 65 | ET49 |
| 900 | 10.96-02.98 | 6Jx15 | 5 | 110 | 65 | ET49 |
| 9000 | 08.95-12.98 | 6Jx15 | 4 | 108 | 65 | ET33 |
| 9000 | 06.85-07.95 | 6Jx15 | 4 | 108 | 65 | ET33 |
| 9000 | 06.85-07.95 | 6Jx15 | 4 | 108 | 65 | ET33 |
| 9000 | 06.85-07.95 | 6Jx15 | 4 | 108 | 65 | ET33 |
| 9000 | 08.95-12.98 | 6Jx15 | 4 | 108 | 65 | ET33 |